

LIDAYTM
INDUSTRIES



300 X
300 X mm

DIGITAL
PARKING
TILES

2022
COLLECTION

■ Plain ■ Punch



■ 1001



■ 1004



■ 1013



■ 1014



■ 1019



■ 1027



■ GOLD_38



Display of Design No. 1027

■ Plain ■ Punch



■ 1023



■ 1024



■ 1025



■ 1026




Display of Design No. 1024 & 1025

■ Plain ■ Punch




■ 1051-L



■ 1054-L



■ 1057-L



■ 1058-L



■ 1051-D




■ 1054-D



■ 1057-D




■ 1058-D



■ Plain ■ Punch

Display of Design No. 1056-D & 1604




■ 1051-D



■ 1056-D



■ 1061-D



● GOLD_35




■ 1603



■ 1604



■ 1609



● GOLD_36




■ Plain ■ Punch



■ 1057-D



■ 1058-D



■ 1059-D




■ 1060-D




■ 1605




■ 1606



■ 1607




■ 1608



Display of Design No. 1059-D & 1607

■ Plain ■ Punch



■ 1081_D




■ 1082_D



■ 1083_D



■ 1084_D



■ 2851



■ 2852



■ 2853



■ 2854




■ Plain ■ Punch



■ 1101



■ 1102



■ 1111



■ 1113



■ 1114



■ 1115



Display of Design No.1102

■ Plain ■ Punch



■ 1116



■ 1117




■ 1118



● GOLD_06



● GOLD_90





Display of Design No. 1116



■ Plain ■ Punch

Display of Design No. 1152



■ 1152



● GOLD_09



● GOLD_10



● GOLD_59

■ Plain ■ Punch



■ 1202



■ 1204



● GOLD_21



● GOLD_65



Display of Design No.1202

■ Plain ■ Punch

Display of Design No.1303



■ 1302



■ 1303



■ 1305



● GOLD_22

■ Plain ■ Punch



■ 1351



■ 1352



■ 1353



■ 1354



■ 1355



■ 1356



■ 1357

Display of Design No. 1356

■ Plain ■ Punch



■ 1360



■ 1358



■ 1359



● GOLD_57



■ Plain ■ Punch

Display of Design No. 1405



■ 1406



■ 1402



■ 1403



■ 1404



■ 1405

■ Plain ■ Punch



■ 1452



■ 1453



■ 1454



● GOLD_17



● GOLD_18

Display of Design No.1453


■ Plain ■ Punch



■ 1651



■ 1652



■ 1653



■ 1654



● GOLD_99



Display of Design No. 1654

■ Plain ■ Punch



■ 1701



■ 1702



■ 1703




■ 1704



■ 1705




■ 1706



■ 1707

Display of Design No.1703 & 1707

■ Plain ■ Punch



■ 1708



■ 1709



■ 1710



■ Plain ■ Punch



■ 1851



■ 1852



■ Plain ■ Punch



■ 1853




■ 1854



■ 1855



● GOLD_104



■ Plain ■ Punch



■ 1901



■ 1902



■ 1903



■ 1904



■ 1905



■ 1906



Display of Design No. 1904

■ Plain ■ Punch



■ 1907



■ 1908



■ 1909



■ Plain ■ Punch



● GOLD_66



● GOLD_67



● GOLD_96



● GOLD_97



Display of Design No.000.97



■ Plain ■ Punch



■ 2001



■ 2002



■ 2003



■ 2004



■ 2005



■ 2006



■ 2007



■ 2008



Display of Design No.2004

■ Plain ■ Punch



■ 2009



■ 2010



■ 2011



■ Plain ■ Punch




● GOLD_70



● GOLD_98



● GOLD_103



Display of Design No.001_98

■ Plain ■ Punch



■ GOLD_42



■ GOLD_43



■ 2051



Display of Design No.000.42



■ Plain ■ Punch



Display of Design No.2103



■ 2103



■ 2104



■ 2107



■ 2108

■ Plain ■ Punch



■ 2551



■ 2552



■ 2553



■ 2554



● GOLD_84

■ Plain ■ Punch



■ 2601



■ 2602



Display of Design No. 2602

■ Plain ■ Punch



■ 2603



■ 2604



Display of Design No. 2603

■ Plain ■ Punch



■ 2652



■ 2653



■ 2654



■ 2655



■ 2656



■ 2657



Display of Design No. 2657

■ Plain ■ Punch



■ 2701



■ 2702



■ 2703



● GOLD_106



Display of Design No 2702

■ Plain ■ Punch




■ 2704



■ 2705



■ 2706



Display of Design No 2704

■ Plain ■ Punch



■ 2801



■ 2802



■ 2803



■ 2804



● GOLD_101



Display of Design No.2801


■ Plain ■ Punch



■ 3051



■ 3052



■ 3053



Display of Design No.3051

■ Plain ■ Punch



● GOLD_116



● GOLD_117



● GOLD_118



Display of Design No.000_116

Technical Specification

Characteristics	International Standard ISO 13006/EN 176 GROUP B1a	Our VALUE	METHOD OF TESTING
1. Deviations in Length	±0.6%	±0.3%	ISO 10545 Pt 2
2. Deviations in Thickness	±0.5%	±0.5%	ISO 10545 Pt 2
3. Straightness of Side	±0.5%	±0.5%	ISO 10545 Pt 2
4. Rectangularity	±0.6%	±0.5%	ISO 10545 Pt 2
5. Mohs Hardness	>6	>8	En 101
6. Flexural Strength	>35N/mm ²	>45N/mm ²	ISO 10545 Pt 4
7. Absorption Resistance	<175mm ³	<144mm ³	ISO 10545 Pt 6
8. Breaking Strength	1113 N	>1200 N	ISO 10545 Pt 4
9. Density / (g/cc)	>2.0	>2.4	ISO 10545 Pt 3
10. Frost Resistance	Frost Proof	Frost Proof	ISO 10545 Pt 12
11. Chemical Resistance	No Damage	No Damage	ISO 10545 Pt 13
12. Thermal Shock Chemicals	No Damage	No Damage	DIN 10545 Pt 9
13. Colour Resistance	No Damage	No Damage	DIN 51094
14. Thermal Expansion	<9x10 ⁻⁴	<6x10 ⁻⁴ K ⁻¹	ISO 10545 Pt 8
15. Stain Resistance	Resistant	Complies	ISO 10545 Pt 14
16. Moisture Expansion	Nil	Complies	ISO 10545 Pt 10

Packing Details

Size	Thickness (Approx)	Packing / Per Box	Sq. Meter/Box	Weight/Box (Approx)
300x300mm	9.00mm	08 Pcs.	0.72	13.2 Kg

Container Packing Details

Size	Thickness	Box	Sq. Mtr/Box	Boxes/Pallet	Sq. Mtr/Pallet	Pallet/ Container	Box/ Container	Sq. Mtr/ Container
300x300mm	9.00mm	8 Pcs./Box	0.72	108	77.76	19	2052	1477.44

NOTE: Certain amount of size and shade variation is inherent in all ceramic products. Our conformity to the above standards is applicable only for premium quality. Colours shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given, however, the company reserves the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry occur, it is suggested to check the tiles before purchase and laying as the company does not accept responsibility once the tiles are laid.

Applications



Mfg. By :

AN ISO 9001:2015 CERTIFIED COMPANY



MFG. : DIGITAL PARKING TILES

8-A, N.H., Opp. 132 K.V. Lalpar Power Station,
P.B. No. 306 (P.P.W.) Lalpar, Morbi-363 642. (Guj.) INDIA.
Cell : +91-99099 72245 / 98795 40648
E-mail : info@udaygold.com, Web : www.udaygold.com